



CONNECT² Control Bar with Front Line Safety



CONNECT² Control Bar with B-Safe System



NR.	ARTICLE NO.	NAME	DESCRIPTION
1	FASB1FBBL	Swivel Ball FORCE / INFINITY XX / CONNECT ²	Plastic ball PA6 GF30, black
2	FAOR241625	Oval ring	Oval steel ring 24x16 mm, wire size Ø 2.5mm
3	FAQR5OR00	Simple Quick Release	ISO compliant ejection mechanism with orange protection cap, incl. chicken stick/chicken loop
4	FABS1CCB2	CONNECT2 bar stick	EVA covered bar stick, orange/petrol, single piece
5	FADR1CCBBL	Depower Line / Adjuster Line CONNECT ²	D-Pro 4mm deep black (length about 2,82 m)
6.1	FASL1CC2BU	Safety Line CONNECT ²	PPSL275 blue incl. O-Ring 12/7 mm (steel ring)
6.2	SAAM0712	O-Ring 12/7 mm	Steel ring with 12 mm diameter (outside), 7 mm (inside), polished
7	FAAJ200PE	Clam-Cleat Single-Connection	CL826 with single bridge, for all RACE Control Bars and CONNECT Control Bars
8	SAAM0712	O-Ring 12/7 mm	Steel ring with 12 mm diameter (outside), 7 mm (inside), polished
9	FASBBL209	Stopper Ball 20/9 mm	
10	FAAH1BL00	Adjuster Handle	handle with velcro and FLYSURFER branding, black
11	FALR20166	Low Friction Ring 16/6 mm	plastic eyelet with 16 mm diameter (outside), 6 mm (inside), polished
12	FAFLCCB2BL	Front Leader Line CONNECT ²	DC500 deep black
13	FAWL1CCB2	Winder Line CONNECT ²	D-Pro 3mm deep black
14	FAFL3DP00	Floater-Set SLIM	1 pair, dove/petrol, for INFINITY XX and CONNECT ¹⁺² Control Bar
15	FASLLSCCB2	Steering Leader Line Set CONNECT ²	D-Pro 3mm petrol/orange
16	FAFCLCC2BL	Front connection line CONNECT ²	D-Pro 3mm deep black, Y-line including ring
17.1	FAFLS10CC2	Front Line Set CONNECT ² 10 m	DC300 deep black
17.2	FAFLS07CC2	Front Line Set CONNECT ² 7 m	DC300 deep black
18	FABLSLCC2	B-Safe Line Set CONNECT ²	Consisting of 2 x B-Safe 5,1 m, 1 x B-Safe 7 m, 1 x B-Safe Pigtail
19.1	FABLS14CC2	Back Line Set CONNECT ² 14 m	Flying line DC200 petrol & orange
19.2	FABLS07CC2	Back Line Set CONNECT ² 7 m	Flying line DC200 petrol & orange
20	FAPS1CC25	Pig Tail Set CONNECT ²	2x DC200 petrol / orange, 3x DC500 black; length of each line 0,25 m
	FASL1SL00	Short Safety Leash	Safety leash with release mechanism and orange protective cap
	FALBB200M	Light Control Bar Bag [M]	lightweight bag with ventilation window and draws-tring