



Steering flying line (backline) 21m

FLS (safety line) 12m

Depower flying line (frontline) 21m

FLS-endline

Steering flying line (backline) 21m

NAME	LENGTH (MM)	CUTTING (MM)	COLOUR	MATERIAL
a1	413	613	White	DC60
a2	384	584	White	DC60
a3	362	562	White	DC60
a4	363	563	White	DC60
a5	333	533	White	DC60
a6	311	511	White	DC60
a7	277	477	White	DC60
a8	245	445	White	DC60
a9	223	423	White	DC60
a10	238	438	White	DC60
a11	194	394	White	DC60
a12	200	400	White	DC60
a13	244	444	White	DC60
a14	198	398	White	DC60
a15	160	360	White	DC60
a16	266	466	White	DC60
a17	215	415	White	DC60
A1	525	725	Red/Green	DC100
A2	525	725	Red/Green	DC100
A3	525	725	Red/Green	DC100
A4	490	690	Red/Green	DC100
A5	385	585	Red/Green	DC100
A6	350	550	Red/Green	DC100
AI	460	660	Red/Green	PPSL160
AII	350	550	Red/Green	PPSL160
AIII	350	550	Red/Green	PPSL160
AIV	315	515	Red/Green	PPSL160
AV	280	480	Red/Green	PPSL160
amain	770	970	Red/Green	PPSL200
amain2	770	970	Red/Green	PPSL200
AVI	910	1110	Red/Green	PPSL160
b1	408	608	White	DC60
b2	379	579	White	DC60
b3	357	557	White	DC60
b4	358	558	White	DC60
b5	329	529	White	DC60
b6	307	507	White	DC60
b7	273	473	White	DC60
b8	240	440	White	DC60
b9	220	420	White	DC60
b10	233	433	White	DC60
b11	190	390	White	DC60

NAME	LENGTH (MM)	CUTTING (MM)	COLOUR	MATERIAL
b12	200	400	White	DC60
b13	240	440	White	DC60
b14	196	396	White	DC60
b15	161	361	White	DC60
b16	264	464	White	DC60
b17	214	414	White	DC60
c1	910	1110	White	DC60
c4	860	1060	White	DC60
c7	688	888	White	DC60
c5	773	973	White	DC60
c10	592	792	White	DC60
c11	565	765	White	DC100
c2	374	574	White	DC60
c3	386	586	White	DC60
c6	366	566	White	DC60
c8	348	548	White	DC60
c9	359	559	White	DC60
c12	317	517	White	DC60
d1	1203	1403	Red/Green	DC100
d2	1117	1317	Red/Green	DC100
d3	1031	1231	Red/Green	DC100
d4	910	1110	Red/Green	DC100
d5	777	977	Red/Green	DC100
d6	1490	1690	Red/Green	PPSL160
D1	858	1058	Red/Green	PPSL160
D2	858	1058	Red/Green	PPSL160
e1	1122	1322	Red/Green	DC100
e2	1035	1235	Red/Green	DC100
e3	951	1151	Red/Green	DC100
e4	829	1029	Red/Green	DC100
e5	695	895	Red/Green	DC100
e6	1520	1720	Red/Green	PPSL160
E1	945	1145	Red/Green	PPSL160
E2	945	1145	Red/Green	PPSL160
br1	621	821	White	DC60
br2	592	792	White	DC60
br3	565	765	White	DC60
br4	564	764	White	DC60
br5	536	736	White	DC60
br6	510	710	White	DC60

NAME	LENGTH (MM)	CUTTING (MM)	COLOUR	MATERIAL
br7	511	711	White	DC60
br8	483	683	White	DC60
br9	458	658	White	DC60
br10	470	670	White	DC60
br11	428	628	White	DC60
br12	388	588	White	DC60
br13	404	604	White	DC60
br14	361	561	White	DC60
br15	320	520	White	DC60
br16	350	550	White	DC60
br17	297	497	White	DC60
BR1	525	725	Red/Green	DC100
BR2	490	690	Red/Green	DC100
BR3	455	655	Red/Green	DC100
BR4	350	550	Red/Green	DC100
BR5	280	480	Red/Green	DC100
BR6	980	1180	Yellow	PPSL160
BRI	770	970	Yellow	PPSL160
BRII	805	1005	Yellow	PPSL160
brmain	490	690	Yellow	PPSL160
MIXER				
Front-Main	200	400	black	DC 300
A-Main	1200	1400	black	DC 300
B-Main	about 290	about 490	black	DC 500
C-Main	about 700	about 900	black	DC 500
Z-Main	1200	1400	yellow	PPSL200
Back-Main	200	400	red/green	DC 200
B-Pulleyline	1200	1400	yellow	DFL 200
C-Pulleyline	1000	1200	yellow	DFL 200
FLYING LINES				
Frontline	21000	21200	black	DC 300
Backline	21000	21200	red/green	DC 200
FLS-ENDLINE	12000		black	DC 500
FLS-Knot-Position	10450	measured from the lower end of the FLS-Endline		